

299-E26-56 (A6649) Log Data Report

Borehole Information:

Borehole: 299-E26-56 (A6649)			Site: 216-A-24 Crib			
Coordinates (WA St Plane)		GWL¹ (ft): None		GWL Date: 08/30/05		
North (m)	East (m)	Drill Date	Ground Level Elevation (ft)	Total Depth (ft)	Type	
136330.965	575628.9	08/81	654.86	54	Cable	

Casing Information:

Casing Type	Stickup (ft)	Outer Diameter (in.)	Inside Diameter (in.)	Thickness (in.)	Top (ft)	Bottom (ft)
Welded Steel	4.55	6 5/8	6 1/8	1/4	4.55	54

Borehole Notes:

Casing diameter and casing stickup measurements were acquired by the logging engineer using a caliper and steel tape. Measurements were rounded to the nearest 1/16 in.

Logging Equipment Information:

Logging System: Gamma 1E		Type: SGLS (70%) SN: 34TP40587A
Effective Calibration Date: 03/04/05	Calibration Reference: DOE/EM-GJ854-2005	
	Logging Procedure: MAC-HGLP 1.6.5, Rev. 0	

Spectral Gamma Logging System (SGLS) Log Run Information:

Log Run	1	2 Repeat			
Date	08/31/05	08/31/05			
Logging Engineer	Spatz	Spatz			
Start Depth (ft)	54.0	14.0			
Finish Depth (ft)	5.0	7.0			
Count Time (sec)	100	100			
Live/Real	R	R			
Shield (Y/N)	N	N			
MSA Interval (ft)	1.0	1.0			
ft/min	N/A ²	N/A			
Pre-Verification	AE100CAB	AE100CAB			
Start File	AE100000	AE100050			
Finish File	AE100049	AE100057			
Post-Verification	AE102CAA	AE102CAA			
Depth Return Error (in.)	- 1	0			
Comments	No fine gain adjustment.	No fine gain adjustment.			

Logging Operation Notes:

Logging was conducted with a centralizer on the sonde. Logging data acquisition is referenced to the top of casing. A repeat section was collected in this borehole to evaluate system performance.

Analysis Notes:

Analyst:	Henwood	Date:	09/06/05	Reference:	GJO-HGLP 1.6.3, Rev. 0
-----------------	---------	--------------	----------	-------------------	------------------------

Pre-run and post-run verifications for the logging system were performed before and after the day's data acquisition. The acceptance criteria were met.

A casing correction for 0.25-in.-thick casing was applied to the log data.

SGLS spectra were processed in batch mode using APTEC SUPERVISOR to identify individual energy peaks and determine count rates. Concentrations were calculated with an EXCEL worksheet template identified as G1EMar05.xls using efficiency functions and corrections for casing, water, and dead time as determined from annual calibrations. No corrections for dead time or water were necessary.

Log Plot Notes:

Separate log plots are provided for the man-made radionuclide (^{137}Cs) detected in the borehole, naturally occurring radionuclides (^{40}K , ^{238}U , ^{232}Th [KUT]), a combination of man-made, KUT, total gamma, and dead time, and total gamma plotted with dead time. For each radionuclide, the energy value of the spectral peak used for quantification is indicated. Unless otherwise noted, all radionuclides are plotted in picocuries per gram (pCi/g). The open circles indicate the minimum detectable level (MDL) for each radionuclide. Error bars on each plot represent error associated with counting statistics only and do not include errors associated with the inverse efficiency function, dead time correction, casing corrections, or water corrections.

A comparison plot of the Westinghouse Hanford Company Radionuclide Logging System (RLS) data acquired in 1995 with the current SGLS data is provided.

Results and Interpretations:

^{137}Cs is the man-made radionuclide detected in this borehole. ^{137}Cs is detected from the ground surface to 10 ft and at a few sporadic locations throughout the borehole. The maximum concentration was measured at approximately 1 pCi/g at 5 ft.

The comparison of SGLS and RLS ^{137}Cs concentrations shows good agreement after correcting for decay, indicating no significant changes have occurred since 1995.


The repeat section indicates good agreement of the naturally occurring KUT and ^{137}Cs concentrations.

¹ GWL – groundwater level

² N/A – not applicable

299-E26-56 (A6649)


Man-Made Radionuclides



Zero Reference - Top of Casing


299-E26-56 (A6649)

Natural Gamma Logs




Zero Reference = Top of Casing

299-E26-56 (A6649) Combination Plot



299-E26-56 (A6649)


Total Gamma & Dead Time



Reference - Top of Casing

299-E26-56 (A6649)


Repeat Section of Natural Gamma Logs



Zero Reference - Top of Casing

299-E26-56 (A6649)

SGLS & RLS Comparison



Zero Reference - Top of Casing